


### AMENDMENTS TO THE CLAIMS

1. (Previously presented) A compound of formula (I)



or a pharmaceutically acceptable salt of said compound, wherein:

R<sup>1</sup> is:

(A) -(C<sub>1</sub>-C<sub>6</sub>)alkyl, optionally substituted independently with from one to three (a) halogen; (b) heteroaryl, optionally substituted independently with from one to three -(C<sub>1</sub>-C<sub>6</sub>)alkyl; trifluoromethyl; or -(C<sub>1</sub>-C<sub>6</sub>)alkoxy; (c) aryl, optionally substituted independently with from one to three halogen; -(C<sub>1</sub>-C<sub>6</sub>)alkoxy; trifluoromethyl; -(C<sub>1</sub>-C<sub>6</sub>)alkyl; or -C(O)(C<sub>1</sub>-C<sub>6</sub>)alkyl; (d) -OR<sup>5</sup>; (e) -(C<sub>3</sub>-C<sub>8</sub>)cycloalkyl; or (f) heterocycloalkyl;

(B) -(C<sub>3</sub>-C<sub>8</sub>)cycloalkyl, optionally substituted independently with from one to three (g) heteroaryl, optionally substituted independently with from one to three -(C<sub>1</sub>-C<sub>6</sub>)alkyl; trifluoromethyl; or -(C<sub>1</sub>-C<sub>6</sub>)alkoxy; (h) aryl, optionally substituted independently with from one to three halogen; -(C<sub>1</sub>-C<sub>6</sub>)alkoxy; trifluoromethyl; -(C<sub>1</sub>-C<sub>6</sub>)alkyl; or -C(O)(C<sub>1</sub>-C<sub>6</sub>)alkyl; (i) heterocycloalkyl; (j) -OR<sup>5</sup>; or (k) -(C<sub>1</sub>-C<sub>6</sub>)alkyl, optionally substituted with from one to three halogen;

(C) heterocycloalkyl, optionally substituted with from one to three (l) heteroaryl, optionally substituted independently with from one to three -(C<sub>1</sub>-C<sub>6</sub>)alkyl; trifluoromethyl; or -(C<sub>1</sub>-C<sub>6</sub>)alkoxy; (m) aryl, optionally substituted independently with from one to three halogen; -(C<sub>1</sub>-C<sub>6</sub>)alkoxy; trifluoromethyl; -(C<sub>1</sub>-C<sub>6</sub>)alkyl; or -C(O)(C<sub>1</sub>-C<sub>6</sub>)alkyl; (n) -(C<sub>3</sub>-C<sub>8</sub>)cycloalkyl; (o) heterocycloalkyl; (p) -OR<sup>5</sup>; or (q) -(C<sub>1</sub>-C<sub>6</sub>)alkyl, optionally substituted with from one to three halogen;  
or

(D) heteroaryl, optionally substituted with from one to three -(C<sub>1</sub>-C<sub>6</sub>)alkyl or trifluoromethyl;

R<sup>2</sup> and R<sup>3</sup> are, independently,

(E) hydrogen;

(F)  $-(C_1-C_6)alkyl$ , optionally substituted independently with from one to three (r) halogen; (s) aryl, optionally substituted independently with from one to three halogen; trifluoromethyl;  $-(C_1-C_6)alkyl$ , or  $-(C_1-C_6)alkoxy$ , optionally substituted with from one to three fluorine atoms; (t) heteroaryl, optionally substituted independently with from one to three nitro;  $-(C_1-C_6)alkyl$ ; trifluoromethyl; halogen; or  $-(C_1-C_6)alkoxy$ ; (u) heterocycloalkyl, optionally substituted independently with one to three  $-(C_1-C_6)alkyl$ ; oxo; aryl; or heteroaryl; (v)  $-(C_3-C_8)cycloalkyl$ , optionally substituted independently with from one to three cyano or aryl; (w)  $-NHR^4$ ; (x)  $-OR^5$ ; (y)  $-N[(C_1-C_6)alkyl]_2$ ; or (z) cyano;

(G)  $-(C_3-C_8)cycloalkyl$ , optionally substituted independently with from one to three cyano or aryl;

(H) aryl, optionally substituted independently with from one to three halogen;  $-(C_1-C_6)alkoxy$ ; trifluoromethyl; or  $-(C_1-C_6)alkyl$ ;

(I) heteroaryl, optionally substituted independently with from one to three  $-(C_1-C_6)alkyl$  or  $-(C_1-C_6)alkoxy$ ; or

(J) heterocycloalkyl, optionally substituted with from one to three  $-(C_1-C_6)alkyl$ , optionally substituted with aryl; or

$R^2$  and  $R^3$ , taken together with the nitrogen atom to which they are attached, form a heterocycloalkyl ring, optionally substituted independently with (aa)  $-(C_1-C_6)alkyl$ , optionally substituted with  $-R^4$  or  $-OR^5$ ; (bb) aryl; (cc) heteroaryl; (dd)  $-N[(C_1-C_6)alkyl]R^4$ ; (ee)  $-R^4$ ; or (ff)  $-(C_1-C_6)alkoxy$ ;

$R^4$  is (K)  $-(C_1-C_6)alkyl$ ; (L)  $-C(O)(C_1-C_6)alkyl$ ; (M)  $-C(O)O(C_1-C_6)alkyl$ , optionally substituted with aryl; (N) aryl; (O) heteroaryl; or (P) heterocycloalkyl, wherein each (N) aryl, (O) heteroaryl, or (P) heterocycloalkyl group is optionally substituted independently with from one to three (gg) halogen; (hh) nitro; (ii) trifluoromethyl; (jj)  $-(C_1-C_6)alkyl$ ; or (kk)  $-N[(C_1-C_6)alkyl][C(O)(C_1-C_6)alkyl]$ ; and

$R^5$  is (Q)  $-(C_1-C_6)alkyl$ ; (R)  $-C(O)(C_1-C_6)alkyl$ ; (S) aryl; (T) heteroaryl; or (U) heterocycloalkyl, wherein each (S) aryl, (T) heteroaryl, or (U) heterocycloalkyl group is optionally substituted independently with from one to three (ll) halogen;

(mm) nitro; (nn) trifluoromethyl; (oo) -(C<sub>1</sub>-C<sub>6</sub>)alkyl; or (pp) -N[(C<sub>1</sub>-C<sub>6</sub>)alkyl][C(O)(C<sub>1</sub>-C<sub>6</sub>)alkyl].

2. (Original) A compound of claim 1, wherein:

R<sup>1</sup> is:

(A) -(C<sub>1</sub>-C<sub>6</sub>)alkyl, optionally substituted independently with (b) heteroaryl, optionally substituted independently with -(C<sub>1</sub>-C<sub>6</sub>)alkyl; trifluoromethyl; or -(C<sub>1</sub>-C<sub>6</sub>)alkoxy; (c) aryl, optionally substituted independently with from one to three halogen; -(C<sub>1</sub>-C<sub>6</sub>)alkoxy; trifluoromethyl; -(C<sub>1</sub>-C<sub>6</sub>)alkyl; (d) -OR<sup>5</sup>; or (f) heterocycloalkyl;

(B) -(C<sub>3</sub>-C<sub>8</sub>)cycloalkyl, optionally substituted independently with (g) heteroaryl, optionally substituted independently with from one to three -(C<sub>1</sub>-C<sub>6</sub>)alkyl; trifluoromethyl; or -(C<sub>1</sub>-C<sub>6</sub>)alkoxy; (h) aryl, optionally substituted independently with from one to three halogen; -(C<sub>1</sub>-C<sub>6</sub>)alkoxy; trifluoromethyl; or -(C<sub>1</sub>-C<sub>6</sub>)alkyl; (i) heterocycloalkyl; (j) -OR<sup>5</sup>; (k) -(C<sub>1</sub>-C<sub>6</sub>)alkyl, optionally substituted with from one to three halogen;

(C) heterocycloalkyl, optionally substituted with (l) heteroaryl, optionally substituted independently with from one to three -(C<sub>1</sub>-C<sub>6</sub>)alkyl; trifluoromethyl; or -(C<sub>1</sub>-C<sub>6</sub>)alkoxy; (m) aryl, optionally substituted independently with from one to three halogen; -(C<sub>1</sub>-C<sub>6</sub>)alkoxy; trifluoromethyl; -(C<sub>1</sub>-C<sub>6</sub>)alkyl; or -C(O)(C<sub>1</sub>-C<sub>6</sub>)alkyl; (n) -(C<sub>3</sub>-C<sub>8</sub>)cycloalkyl; (o) heterocycloalkyl; (p) -OR<sup>5</sup>; or (q) -(C<sub>1</sub>-C<sub>6</sub>)alkyl, optionally substituted with from one to three halogen;

R<sup>2</sup> is hydrogen or -(C<sub>1</sub>-C<sub>6</sub>)alkyl;

R<sup>3</sup> is:

(F) -(C<sub>1</sub>-C<sub>6</sub>)alkyl, optionally substituted independently with from one to three (r) halogen; (s) aryl, optionally substituted independently with from one to three halogen; trifluoromethyl; -(C<sub>1</sub>-C<sub>6</sub>)alkyl, or -(C<sub>1</sub>-C<sub>6</sub>)alkoxy, optionally substituted with from one to three fluorine atoms; (t) heteroaryl, optionally substituted independently with from one to three -(C<sub>1</sub>-C<sub>6</sub>)alkyl; trifluoromethyl; halogen; or -(C<sub>1</sub>-C<sub>6</sub>)alkoxy; (u) heterocycloalkyl, optionally substituted independently with one

to three  $-(C_1-C_6)alkyl$ ; oxo; aryl; or heteroaryl; (v)  $-(C_3-C_8)cycloalkyl$ ; (w)  $-NHR^4$ ; (x)  $-OR^5$ ; (y)  $-N[(C_1-C_6)alkyl]_2$ ; or (z) cyano;

(G)  $-(C_3-C_8)cycloalkyl$ , optionally substituted independently with from one to three cyano or aryl; or

(J) heterocycloalkyl, optionally substituted with from one to three  $-(C_1-C_6)alkyl$ , optionally substituted with aryl; or

$R^2$  and  $R^3$ , taken together with the nitrogen atom to which they are attached, form a heterocycloalkyl ring, optionally substituted independently with (aa)  $-(C_1-C_6)alkyl$ , optionally substituted with  $-R^4$  or  $-OR^5$ ; (bb) aryl; (cc) heteroaryl; or (ff)  $-(C_1-C_6)alkoxy$ ;

$R^4$  is (K)  $-(C_1-C_6)alkyl$ ; (N) aryl; (O) heteroaryl; or (P) heterocycloalkyl, wherein each aryl, heteroaryl, or heterocycloalkyl group is optionally substituted independently with from one to three (gg) halogen; (ii) trifluoromethyl; or (jj)  $-(C_1-C_6)alkyl$ ; and

$R^5$  is (Q)  $-(C_1-C_6)alkyl$ ; (S) aryl; (T) heteroaryl; or (U) heterocycloalkyl, wherein each (S) aryl, (T) heteroaryl, or (U) heterocycloalkyl group is optionally substituted independently with from one to three (ll) halogen; (nn) trifluoromethyl; or (oo)  $-(C_1-C_6)alkyl$ .

3. (Original) A compound of claim 1, wherein:

$R^1$  is:

(A)  $-(C_1-C_6)alkyl$ , optionally substituted independently with (b) heteroaryl, optionally substituted independently with  $-(C_1-C_6)alkyl$  or  $-(C_1-C_6)alkoxy$ ; (c) aryl, optionally substituted independently with from one to three halogen;  $-(C_1-C_6)alkoxy$ ; trifluoromethyl; or  $-(C_1-C_6)alkyl$ ; or (d)  $-OR^5$ ;

(B)  $-(C_3-C_8)cycloalkyl$ , optionally substituted independently with (g) heteroaryl, optionally substituted independently with from one to three  $-(C_1-C_6)alkyl$  or  $-(C_1-C_6)alkoxy$ ; (h) aryl, optionally substituted independently with from one to three halogen;  $-(C_1-C_6)alkoxy$ ; trifluoromethyl; or  $-(C_1-C_6)alkyl$ ; (j)  $-OR^5$ ; (k)  $-(C_1-C_6)alkyl$ , optionally substituted with from one to three halogen; or

(C) heterocycloalkyl, optionally substituted with (l) heteroaryl, optionally substituted independently with from one to three  $-(C_1-C_6)alkyl$  or  $-(C_1-C_6)alkoxy$ ; (m) aryl, optionally substituted independently with from one to three halogen;  $-(C_1-C_6)alkoxy$ ; trifluoromethyl; or  $-(C_1-C_6)alkyl$ ; (p)  $-OR^5$ ; or (q)  $-(C_1-C_6)alkyl$ , optionally substituted with from one to three halogen;

$R^2$  is hydrogen or  $-(C_1-C_6)alkyl$ ;

$R^3$  is:

(F)  $-(C_1-C_6)alkyl$ , optionally substituted independently with (s) aryl, optionally substituted independently with from one to three halogen; trifluoromethyl;  $-(C_1-C_6)alkyl$ , or  $-(C_1-C_6)alkoxy$ , optionally substituted with from one to three fluorine atoms; (t) heteroaryl, optionally substituted independently with from one to three  $-(C_1-C_6)alkyl$  or trifluoromethyl; and

$R^5$  is (S) aryl, optionally substituted with halogen.

4. (Previously presented) The compound:

benzyl-carbamic acid *cis*-3-[5-(cyclohexanecarbonyl-amino)-1H-pyrazol-3-yl]-cyclobutyl ester;

benzyl-carbamic acid *cis*-3-(5-isobutyrylamino-1H-pyrazol-3-yl)-cyclobutyl ester;

benzyl-carbamic acid *cis*-3-[5-(2-methyl-2-phenyl-propionylamino)-2H-pyrazol-3-yl]-cyclobutyl ester;

benzyl-carbamic acid *cis*-3-[5-[(4-methyl-tetrahydro-pyran-4-carbonyl)-amino]-2H-pyrazol-3-yl]-cyclobutyl ester;

benzyl-carbamic acid *cis*-3-[5-(2,2-dimethyl-propionylamino)-2H-pyrazol-3-yl]-cyclobutyl ester;

benzyl-carbamic acid *cis*-3-[5-[(tetrahydro-pyran-4-carbonyl)-amino]-1H-pyrazol-3-yl]-cyclobutyl ester;

benzyl-carbamic acid *cis*-3-[5-(2-methyl-2-pyridin-2-yl-propionylamino)-2H-pyrazol-3-yl]-cyclobutyl ester;

benzyl-methyl-carbamic acid *cis*-3-[5-[(tetrahydro-pyran-4-carbonyl)-amino]-1H-pyrazol-3-yl]-cyclobutyl ester;

butyl-carbamic acid *cis*-3-[5-(2,2-dimethyl-propionylamino)-1H-pyrazol-3-yl]-cyclobutyl ester;

(2-chloro-benzyl)-carbamic acid *cis*-3-{5-[(tetrahydro-pyran-4-carbonyl)-amino]-1H-pyrazol-3-yl}-cyclobutyl ester;

(2,6-difluoro-benzyl)-carbamic acid *cis*-3-(5-isobutyrylamino-2H-pyrazol-3-yl)-cyclobutyl ester;

(2,6-difluoro-benzyl)-carbamic acid *cis*-3-{5-[(1-methyl-cyclohexanecarbonyl)-amino]-1H-pyrazol-3-yl}-cyclobutyl ester;

(2-ethyl-butyl)-carbamic acid *cis*-3-(5-isobutyrylamino-2H-pyrazol-3-yl)-cyclobutyl ester;

(2-fluoro-benzyl)-carbamic acid *cis*-3-{5-[(*(R)*-tetrahydro-furan-2-carbonyl)-amino]-1H-pyrazol-3-yl}-cyclobutyl ester;

isobutyl-carbamic acid *cis*-3-(5-phenylacetyl-amino-2H-pyrazol-3-yl)-cyclobutyl ester;

(2-phenyl-propyl)-carbamic acid *cis*-3-{5-[(*(R)*-tetrahydro-furan-2-carbonyl)-amino]-1H-pyrazol-3-yl}-cyclobutyl ester;

pyridin-2-ylmethyl-carbamic acid *cis*-3-[5-(cyclopentanecarbonyl-amino)-1H-pyrazol-3-yl]-cyclobutyl ester;

pyridin-2-ylmethyl-carbamic acid *cis*-3-[5-(2,2-dimethyl-propionylamino)-1H-pyrazol-3-yl]-cyclobutyl ester;

thiophen-2-ylmethyl-carbanic acid *cis*-3-{5-[(*(R)*-tetrahydro-furan-2-carbonyl)-amino]-1H-pyrazol-3-yl}-cyclobutyl ester; or

(2-trifluoromethyl-benzyl)-carbamic acid *cis*-3-(5-isobutyrylamino-2H-pyrazol-3-yl)-cyclobutyl ester; or a pharmaceutical acceptable salt of said compound.

5. (Previously presented) A pharmaceutical composition comprising an amount of a compound of claim 1, or a pharmaceutically acceptable salt of said compound, and a pharmaceutical acceptable carrier, vehicle, or diluent.

6.-8. (Canceled)

9. (Previously presented) A pharmaceutical composition comprising an amount of a compound of claim 1, or a pharmaceutical acceptable salt of said compound; an amount of one or more of: (i) an anti-angiogenesis agent, (ii) a signal transduction inhibitor, (iii) an anti-proliferative agent, (iv) an NK-1 receptor antagonist, (v) a 5HT<sub>1D</sub> receptor antagonist, (vi) a selective serotonin reuptake inhibitor (SSRI), (vii) an anti-psychotic agent, (viii) an acetylcholinesterase inhibitor, (ix) a neuroprotectant, (x) tissue plasminogen activator (TPA), (xi) neutrophil inhibitory factor (NIF), or (xii) a potassium channel modulator; and a pharmaceutical acceptable carrier, vehicle, or diluent.

10.-11. (Canceled)

12. (New) A compound selected from the group consisting of:

(3-Chloro-benzyl)-carbamic acid cis-3-{5-[(tetrahydro-pyran-4-carbonyl)-amino]-1H-pyrazol-3-yl}-cyclobutyl ester;

Benzyl-carbamic acid cis-3-{5-[(R)-tetrahydro-furan-2-carbonyl)-amino]-1H-pyrazol-3-yl}-cyclobutyl ester;

Pyridin-2-ylmethyl-carbamic acid cis-3-[5-(2,2-dimethyl-propionylamino)-1H-pyrazol-3-yl]-cyclobutyl ester;

Pyridin-2-ylmethyl-carbamic acid cis-3-[5-(cycloheptanecarbonyl-amino)-1H-pyrazol-3-yl]-cyclobutyl ester;

(3-Chloro-benzyl)-carbamic acid cis-3-{5-[(R)-tetrahydro-furan-2-carbonyl)-amino]-1H-pyrazol-3-yl}-cyclobutyl ester;

(2-Phenyl-propyl)-carbamic acid cis-3-{5-[(R)-tetrahydro-furan-2-carbonyl)-amino]-1H-pyrazol-3-yl}-cyclobutyl ester;

(2-Chloro-6-fluoro-benzyl)-carbamic acid cis-3-{5-[(R)-tetrahydro-furan-2-carbonyl)-amino]-2H-pyrazol-3-yl}-cyclobutyl ester;

(2,3-Difluoro-benzyl)-carbamic acid cis-3-{5-[(R)-tetrahydro-furan-2-carbonyl)-amino]-2H-pyrazol-3-yl}-cyclobutyl ester;

(2,6-Difluoro-benzyl)-carbamic acid cis-3-{5-[(R)-tetrahydro-furan-2-carbonyl)-amino]-2H-pyrazol-3-yl}-cyclobutyl ester;

(2-Methoxy-benzyl)-carbamic acid cis-3-{5-[(R)-tetrahydro-furan-2-carbonyl)-amino]-1H-pyrazol-3-yl}-cyclobutyl ester;

(2-Fluoro-6-trifluoromethyl-benzyl)-carbamic acid cis-3-{5-[(R)-tetrahydro-furan-2-carbonyl)-amino]-1H-pyrazol-3-yl}-cyclobutyl ester;

(2-Chloro-6-fluoro-benzyl)-carbamic acid cis-3-{5-[(tetrahydro-pyran-4-carbonyl)-amino]-2H-pyrazol-3-yl}-cyclobutyl ester;

(4-Fluoro-2-trifluoromethyl-benzyl)-carbamic acid cis-3-{5-[(R)-tetrahydro-furan-2-carbonyl)-amino]-2H-pyrazol-3-yl}-cyclobutyl ester;

(3-Fluoro-benzyl)-carbamic acid cis-3-{5-[(1-methyl-cyclohexanecarbonyl)-amino]-1H-pyrazol-3-yl}-cyclobutyl ester;

(1-Methyl-1-phenyl-ethyl)-carbamic acid cis-3-{5-[(tetrahydro-pyran-4-carbonyl)-amino]-2H-pyrazol-3-yl}-cyclobutyl ester;

(2-Methyl-benzyl)-carbamic acid cis-3-[5-(2-methyl-2-phenyl-propionylamino)-2H-pyrazol-3-yl]-cyclobutyl ester;

(1-Methyl-1-phenyl-ethyl)-carbamic acid cis-3-[5-(2-methyl-2-pyridin-2-yl-propionylamino)-2H-pyrazol-3-yl]-cyclobutyl ester;

(2-Trifluoromethyl-benzyl)-carbamic acid cis-3-[5-(2-methyl-2-phenyl-propionylamino)-2H-pyrazol-3-yl]-cyclobutyl ester;

(2-Fluoro-benzyl)-carbamic acid cis-3-[5-(2-methyl-2-phenyl-propionylamino)-2H-pyrazol-3-yl]-cyclobutyl ester;

(2-Methoxy-benzyl)-carbamic acid cis-3-[5-(2-methyl-2-phenyl-propionylamino)-2H-pyrazol-3-yl]-cyclobutyl ester;

(1-Phenyl-cyclopentyl)-carbamic acid cis-3-[5-(2,2-dimethyl-propionylamino)-2H-pyrazol-3-yl]-cyclobutyl ester;

Pyridin-2-ylmethyl-carbamic acid cis-3-[5-(2-pyridin-2-yl-propionylamino)-2H-pyrazol-3-yl]-cyclobutyl ester;

(2-Phenylamino-ethyl)-carbamic acid cis-3-(5-isobutyrylamino-2H-pyrazol-3-yl)-cyclobutyl ester;

(4-Chloro-benzyl)-carbamic acid cis-3-(5-isobutyrylamino-2H-pyrazol-3-yl)-cyclobutyl ester;



(2-Chloro-6-fluoro-benzyl)-carbamic acid cis-3-(5-isobutyrylamino-2H-pyrazol-3-yl)-cyclobutyl ester;

(2,4,5-Trifluoro-benzyl)-carbamic acid cis-3-{5-[(R)-tetrahydro-furan-2-carbonyl]-amino}-2H-pyrazol-3-yl}-cyclobutyl ester;

(3,4-Difluoro-benzyl)-carbamic acid cis-3-{5-[(R)-tetrahydro-furan-2-carbonyl]-amino}-2H-pyrazol-3-yl}-cyclobutyl ester;

(2-Methyl-benzyl)-carbamic acid cis-3-{5-[(tetrahydro-pyran-4-carbonyl)-amino]-2H-pyrazol-3-yl}-cyclobutyl ester;

(2,5-Difluoro-benzyl)-carbamic acid cis-3-{5-[(R)-tetrahydro-furan-2-carbonyl]-amino}-2H-pyrazol-3-yl}-cyclobutyl ester;

(2-Trifluoromethyl-benzyl)-carbamic acid cis-3-{5-[(R)-tetrahydro-furan-2-carbonyl]-amino}-1H-pyrazol-3-yl}-cyclobutyl ester;

(2-Methyl-benzyl)-carbamic acid cis-3-{5-[(R)-tetrahydro-furan-2-carbonyl]-amino}-2H-pyrazol-3-yl}-cyclobutyl ester;

(2,4-Difluoro-benzyl)-carbamic acid cis-3-{5-[(R)-tetrahydro-furan-2-carbonyl]-amino}-2H-pyrazol-3-yl}-cyclobutyl ester;

(4-Isopropyl-benzyl)-carbamic acid cis-3-{5-[(R)-tetrahydro-furan-2-carbonyl]-amino}-1H-pyrazol-3-yl}-cyclobutyl ester;

(4-Chloro-benzyl)-carbamic acid cis-3-{5-[(R)-tetrahydro-furan-2-carbonyl]-amino}-1H-pyrazol-3-yl}-cyclobutyl ester;

(2-Chloro-benzyl)-carbamic acid cis-3-{5-[(R)-tetrahydro-furan-2-carbonyl]-amino}-1H-pyrazol-3-yl}-cyclobutyl ester;

Pyridin-2-ylmethyl-carbamic acid cis-3-[5-(3,3-dimethyl-butyrylamino)-1H-pyrazol-3-yl]-cyclobutyl ester;

Pyridin-2-ylmethyl-carbamic acid cis-3-(5-isobutyrylamino-1H-pyrazol-3-yl)-cyclobutyl ester;

Benzyl-methyl-carbamic acid cis-3-{5-[(R)-tetrahydro-furan-2-carbonyl]-amino}-1H-pyrazol-3-yl}-cyclobutyl ester;

Pyridin-2-ylmethyl-carbamic acid cis-3-{5-[(R)-tetrahydro-furan-2-carbonyl]-amino}-1H-pyrazol-3-yl}-cyclobutyl ester;

(2-Methoxy-benzyl)-carbamic acid cis-3-[5-(2,2-dimethyl-propionylamino)-1H-pyrazol-3-yl]-cyclobutyl ester;  
(1-Phenyl-propyl)-carbamic acid cis-3-[5-(2,2-dimethyl-propionylamino)-2H-pyrazol-3-yl]-cyclobutyl ester; and  
((S)-1-Phenyl-ethyl)-carbamic acid cis-3-[5-(2,2-dimethyl-propionylamino)-2H-pyrazol-3-yl]-cyclobutyl ester;  
or a pharmaceutically acceptable salt of said compound.